

Polyglot C/OCaml Hello-World Program

Manuel Geffken

November 8, 2012

```
1 let (/* ) =
2 (*
3   This a polyglot C/Objective Caml version of the Hello-World program.
4
5   OCaml test: ocaml hello.c
6     C test: cc -o hello hello.c; ./hello
7
8     (c) 2004 Martin Jambon
9 *)
10
11 Printf.
12 (*/) {
13   (void *) printf ("Hello World!\n");
14   (*let);
15   return 0;
16 }
17
18 int main () { return let (); }
19
20 int *x = (int*) 0;
```

```
1 let (/* ) =
2 (*
3   This a polyglot C/Objective Caml version of the Hello-World program.
4
5   OCaml test: ocaml hello.c
6     C test: cc -o hello hello.c; ./hello
7
8     (c) 2004 Martin Jambon
9 *)
10
11 Printf.
12 (*/) {
13   (void *) printf ("Hello World!\n");
14   (*let);
15   return 0;
16 }
17
18 int main () { return let (); }
19
20 int *x = (int*) 0;
```

```
1 let (/* ) =
2  (*)
3   This a polyglot C/Objective Caml version of the Hello-World program.
4
5   OCaml test: ocaml hello.c
6   C test: cc -o hello hello.c; ./hello
7
8   (c) 2004 Martin Jambon
9  *)
10
11 Printf.
12 (*/) {
13   (void *) printf ("Hello World!\n");
14   (*let);
15   return 0;
16 }
17
18 int main () { return let (); }
19
20 int *x = (int*) 0;
```