

6. Authorization

Distinguish

- *Identification*: attesting a person's identity;
- *Authentication*: confirm that identity.
- *Authorization*: verify permittance.

Authorization thus presupposes authentication, which presupposes identification.

We implement authorization by means of *access rights*.

- Databases may contain confidential information.
- Not every user is allowed to initiate changes of the database.
- Access rights are a means to control access to the data; access rights may be assigned for users or attached to certain roles of the users.

Roles

- `CREATE ROLE <RoleName>`
- `DROP ROLE <RoleName>`
- `GRANT <RoleName> TO <users>`
- `REVOKE <RoleName> FROM <users>`

For simplicity, we consider assigning rights to users directly.

Users and objects

If PUBLIC is assigned a right, then all users have that right.

- We may GRANT and REVOKE a right to/from a user.
- Objects, which may be assigned a right, are tables, columns, views, and others.

Rights

- SELECT, INSERT, UPDATE, DELETE, REFERENCES, TRUNCATE, TRIGGER,

- Syntax:

```
GRANT <List von rights>
ON <Objekt>
TO <List of users> [WITH GRANT OPTION]

REVOKE [GRANT OPTION FOR] <List of rights>
ON <Objekt>
FROM <List of users> {RESTRICT | CASCADE}
```

- If a right is assigned with GRANT OPTION, then the right could be passed to others, as well.

Maintenance of Access Rights

The creator of a base table owns all possible rights on that table, i.e. right SELECT, INSERT, UPDATE, DELETE, REFERENCES und TRIGGER.

Example:

User Admin created all tables in the database. Thus Admin owns all rights.

We want Admin to grant user PUBLIC read access to table Country.

Moreover, user Assistant and Tutor should get the rights to read, insert, delete, and update that table in a way such that they can pass the rights to others, as well.

Finally, user SysProg should get right REFERENCES and TRIGGER for table Country.

```
GRANT SELECT ON Country TO PUBLIC
```

```
GRANT SELECT, INSERT, DELETE, UPDATE  
ON Country TO Assistant, Tutor WITH GRANT OPTION
```

```
GRANT REFERENCES, TRIGGER  
ON Country TO SysProg
```

Remarks

- We restrict access for foreign keys, integrity constraints, and triggers as these concepts can be used to infer unauthorized information.
- We call an access right *abandoned*, if the right which was required for granting it is being revoked and no other not-revoked granting has been performed.
- If REVOKE is performed with option CASCADE, then also implied abandoned rights are revoked;
- Option RESTRICT produces an error condition when abandoned rights would result.

User Assistant grants user Tutor INSERT-right for table Country.

```
GRANT INSERT ON Country TO Tutor
```

Now Admin executes some REVOKEs.

```
REVOKE INSERT ON Country FROM Tutor
```

Tutor keeps that right as it was independently granted by Assistant.

```
REVOKE INSERT ON Country FROM Assistant CASCADE
```

Now Assistant loses the right. Tutor also loses the right.

Suppose that Admin executes instead the final operation

```
REVOKE GRANT OPTION FOR INSERT ON Country  
FROM Assistant CASCADE
```

Now Assistant keeps the INSERT-right, however Tutor will lose it as the option to grant the right to him is revoked.